



NOTES

- 1-FOR GENERAL NOTES SEE SHEET No. 4.
- 2-MATERIAL OF REINFORCING PAD SHALL BE SAME AS PIPE MATERIAL, IT ALSO CAN BE MADE OF PIPE SEGMENT INSTEAD OF PLATE.
- 3-REINFORCING PAD SHALL BE USED FOR CS-PWHT OR ALLOY AND STAINLESS STEEL PIPES.
- 4-MATERIAL SHALL BE AS FOLLOWS:
- a) PIPE : API 5L-Gr. B.
- b) PLATE : ASTM-A283 Gr. C.

SD-08- (1) - (2)


- 1- NPS MARK
- 2- LENGTH OF A



DETAILS FOR PART 1

(REINFORCING PAD)

NOTE "2"



DETAILS FOR PART 2

NOTE "3"

PIPE SIZE		MAX. LOAD (kg)	PART ①				PART ②				
NPS	DN		DEVELOP. LENGTH	R	θ°	NPS	DN	A MAX.	B MAX.	T	
2"	50	130	60	30	105	2"	50	200	350	3.91	
3"	80		100	45	120		50				
4"	100		120	57	115		80				
6"	150	430	180	84	120	3"	80	200	350	5.49	
8"	200		230	110	115		150				
10"	250		250	136	105		150				
12"	300	2280	250	162	85	10"	250	250	400	6.35	
14"	350		300	178	95		250				
16"	400		350	203	95		300				
18"	450	2750	350	228	85	12"	300	250	400	6.35	
20"	500		450	254	100		300				
24"	600		3390	600	500x10		305				110


NPS	PIPE SIZE	
MARK	NPS	DN
02	2"	50
03	3"	80
04	4"	100
06	6"	150
08	8"	200
10	10"	250
12	12"	300
14	14"	350
16	16"	400
18	18"	450
20	20"	500
24	24"	600

DRAWING TITLE:

STANDARD FOR PIPE SUPPORT DRAWING

Contract No.	Document No.	Class	Rev.	Size	Scale	Sheet No.

COMPANY:



GISDCo.

INTERNAL PROCEDURE