




- 1-FOR GENERAL NOTES SEE SHEET No. 4.
- 2-FOR U-BOLT SEE RELATED SHEET.
- 3-BASE MATERIAL OF FLAT SHALL BE SAME AS PIPE MATERIAL.
- 4-MATERIAL SHALL BE AS FOLLOWS:
 - a) ANGLE : ASTM-A36
 - b) PLATE : ASTM-A283 Gr. C

SE-10-(1)-(2)

- 1- TYPE OF RUN PIPE
- 2- HEIGHT MARK



TYPE "A"


ASSEMBLY FOR HORIZONTAL PIPES

TYPE "B"



ASSEMBLY FOR VERTICAL PIPES

TYPE "C"

(ASSEMBLY FOR VERTICAL PIPES ADJACENT TO STEEL STRUCTURE)




NPS MARK	PIPE SIZE		P	K
	NPS	DN		
0A	1/2"	15	30	65
0B	3/4"	20	36	68
01	1"	25	44	72
1A	1 1/2"	40	58	79



DETAILS FOR PART ①

NOTE "2 & 4"

SECTION C-C



DETAILS FOR PART ②

NOTE "2 & 4"

DRAWING TITLE:

STANDARD FOR PIPE SUPPORT DRAWING

Contract No. Document No. Class Rev. Size Scale Sheet No.

COMPANY:

شركة توسعة آبن و فولاد كل گهر
G.I.S.D.Co.

GISDCo.

INTERNAL PROCEDURE